


Slotted Angle & Shelving




One Stop Storage Solution In Industrial Racking System



Slotted Angle

RELIABLE

Offers the widest range of slotted angle shelvings custom built to suit your specific needs supported by wide range of optional accessories like Cladding Sheets, Box Covers, Partition Plates, Panel guards, Punched Strips etc & load Carrying capacity ranging from 50 kgs to 600 kgs on each shelf. The entire components is made of finest quality of steel and is Phosphated, Stove enameled & oven baked at a temperature of 150°C



Above Slotted Angle available in lenght of 1.8,2.0, 2.5 & 3.0 Mtr.


Slotted angle with other thickness can be made as per customer's requirement.

80 x 40

COMPLETE DESIGN LAYOUT CAD DRAWINGS INSTALLATION



RELIABLE Special Slotted Channel / Grating



The combination of these channels can be used for making Mezzenine Floors, Walkway, Catwalk, Heavy Duty Structure, Platform, etc.. Above "C" Channels are available in lenght of 1.8,2.0, 2.5 & 3.0 Mtr.

□ COMPLETE DESIGN □ LAYOUT □ CAD DRAWINGS □ INSTALLATION

M.S. SHELVES

Size	Approx	Size	Approx	Size	Approx
in mm	Inch	in mm	Inch	in mm	Inch
750 x 225	30" x 09"	900 x 225	36" x 09"	1200 x 225	48" x 09"
750 x 300	30" x 12"	900 x 300	36" x 12"	1200 x 300	48" x 12"
750 x 375	30" x 15"	900 x 375	36" x 15"	1200 x 375	48" x 15"
750 x 450	30" x 18"	900 x 450	36" x 18"	1200 x 450	48" x 18"
750 x 600	30" x 24"	900 x 600	36" x 24"	1200 x 600	48" x 24"

Thickness of shelves range from 0.70, 0.80, 0.90, 1.00, 1.20 and 1.60 mm to suite your needs with the option of re-inforcement stiffners in the shelves. Shelves with other thickness can be made as per customer's requirement.




Sectional Panel

This sectional panel are used in medium & Heavy duty Racks.

Sectional Panel come in various Sizes of:-Lenght - 600,750,900 and 1200 mm Depth - 150, 225, 300, 375 and 450 mm Thickness of Sectional panel range from:-0.70, 0.80, 0.90, 1.00, 1.20 and 1.60 mm depending upon the load, size & thickness of sectional panel is determine



Build it...





Drawers Rack

COMPLETE DESIGN LAYOUT CAD DRAWINGS INSTALLATION



Slotted Angle



Nuts and Bolts

To calculate amount of nuts and bolts needed, multiply number of corners or joints by 3.



Corner Plates


To ensure rigid structures when using 140 or 160 Angle, Corner Plates are fixed between the faces of the angles.



Plastic Feet

Available in sizes: 40 "L" & "T" 60 "L" & "R" 80 "L" & "R"

Use it.



PARTITION PLATE


Used for partition standard type shelves into pigeon holes. • Please specify height dimension X depth dimension when ordering

CLADDIND SHEET



All 1000mm height in Standard width

M.S. Stack Bins



M.S. Stack Bins							
Model No.	Length	Width	Depth	Max Loading			
RSSB1.	175	100	100	4kgs			
RSSB2.	225	125	125	8kgs			
RSSB3.	300	150	150	15kgs			
RSSB4.	400	215	200	35kgs			
RSSB5.	500	260	220	40kgs			
RSSB6.	500	380	220	50kgs			

□ COMPLETE DESIGN □ LAYOUT □ CAD DRAWINGS □ INSTALLATION



ELIABLE Slotted Angle Application



Slotted Angle Shelving Racks



Slotted Angle Pigeon Hole Rack



Sectional Panel Rack



Slotted Angle Pipe Racks



Slotted Angle Enclosed Racks with Wire Mesh Doors



Slotted Angle Staircase

Slotted Angle Application

Think outside the box

RELIABLE

STORAGE SYSTEMS

RELIABL



www.reliablestorage.co.in

ADDRESS :- 103, Lake View Residency, Bhabola - Bangli Road, Near Husaini Colony, Sandor , Vasai(W), Dist. Palghar Pin.401 207 Maharashtra, India.

- FACTORY :- Unit no. 15, 16, 17, 18 Mamta Compound, Near Neel Kant Industrial Estate, Vilage Devdal, Kaman, Vasai(E) - 401208 Maharashtra, India.
- PHONE :- 98236 35153 \ 98672 89052 \ 9320011052
- EMAIL :- sales@reliablestorage.co.in \ inquiry@reliablestorage.co.in